## 2023 ATI Comprehensive Predictor Updated Version Study Guide

Do not delegate Correct Answer What you can *EAT*  *E*-evaluate  *A*-assess  * T-*teach
Addison's & Cushings Correct Answer Addison's = down down down up
down
A -assess * T-*teach  Addison's & Cushings Correct Answer Addison's = down down down up down  Cushings= up up up down up hypo/hypernatremia, hypo/hypertension, blood volume, hypo/hyperglycemia  Better peripheral perfusion? Correct Answer Elevate veins, D'Angle  Arteries
Better peripheral perfusion? Correct Answer Elevate veins, DAngle Arteries
APGAR - Appearance (a pipe to be no blue, blue (pale) Pulse (>10 - 10 , absent) Grimace (cough, grimace, no response)
Activity (flexed, flaccid, limp) Respirations (strong cry, weak cry, absent)
Airborne precautions Correct Answer MTV or My chicken hez tb measles, chickenpox (varicella) Herpes zoster/shingles TB
Airborne precautions protective equip Correct Answer private room, neg pressure with 6-12 air exchanges/hr mask & respirator N95 for TB
Droplet precautions Correct Answer spiderman! sepsis, scarlet fever, streptococcal pharyngitis, parvovirus, pneumonia, pertussis, influenza, diptheria, epiglottitis, rubella.
mumps, meningitis, mycoplasma or meningeal pneumonia, adeNovirus (Private room and mask)
Contact precaution Correct Answer MRS WHISE protect visitors & caregivers when 3 ft of the pt. Multidrug-resistant organisms
RSV, Shigella, Wound infections, Herpes simplex, Impetigo, Scabies, Enteric diseases caused by micro-organisms (C diff).

about:blank 1/22

stress, frequent bathing and rest breaks, avoid cold and stimulating foods (surgery to remove tumor) Tetrology of Fallot ------ Correct Answer ----- DROP (Defect, septal, Right ventricular hypertrophy, Overriding aortas, Pulmonary stenosis) Autonomic Dysreflexia ----- Correct Answer ---- (potentially life threatening emergency!) HOB elevate 90 degrees, loosen constrictive clothing, assess for full bladder or bowel impaction. (trigger) administer antihypertensives (may cause stroke. Notesale. MI. seizure) FHR patterns for OB ----- Correct Answer ----- Think VEAL CHOP! V-variable decels; C- cord compression caused E-early decels; H- head compression caused A-accels; O-okay, no problem L- late decels: P- placental insufficiency, can't fi what to check with pregnancy patient first, Ex., ις feta machine as a first action. Al with stethoses Position of the baby by fetal heart sounds --- Posterior --heard at sides Anterior---midline by unbilicus and side Breech- high up in the fundus near umbilicus Vertex- by the symphysis pubis. Ventilatory alarms ------ Correct Answer ------ HOLD High alarm--Obstruction due to secretions, kink, pt cough etc Low alarm--Disconnection, leak, etc ICP and Shock ------ Correct Answer ----- ICP- Increased BP, decreased pulse, decreased resp Shock--Decreased BP, increased pulse, increased resp Cor pumonae ------ Correct Answer ----- Right sided heart failure caused by left ventricular failure (edema, jugular vein distention) Heroin withdrawal neonate ----- Correct Answer ----- irritable, poor sucking brachial pulse ----- Correct Answer ----- pulse area on an infant lead poisoning ----- Correct Answer ----- test at 12 months of age Before starting IV antibiotics ----- Correct Answer ----- obtain cultures!

about:blank 6/22

## Preview from Notesale. Preview from 21 of 22 Page 21 of 22

about:blank 21/22