Purpose of the Lab and how one Ed to all albhod and box and it gentlessment how it plants in and

This lab will familiarize you with the basic units of the metric system and how to convert between them. You will also learn how to measure length, weight, volume, and temperature with an acceptable level of scientific accuracy.

Materials Metric ruler Meter stick Bone Wooden paddles Test tube Thermometer (Celsius) Triple-beam balance ew from Notesale.co.uk Page 3 of 86 Page 3 of 86 Plexiglass block Fossil Warm-water bath Bucket with ice Graduated cylinder Plastic pipettes Pipette Pump Water Length Measure the length of this line:

Measuring irregularly shaped three-dimensional objects can be tricky. To make an accurate measurement, we will use a meter stick and two wooden paddles.

First, place the meter stick on a flat surface.

Convert this measurement to . 08 mm and .00000008 nm.

- Sandwich the object you are measuring between the two paddles, making sure the paddles are at a right angle to the object you are measuring (or as close as possible).
- Place the object and paddles along the meter stick, and note the location of the inner edges of the paddles.
- 4. Subtract to find the length of the object.

Starch Test: If a test is positive for starch the solution will turn <u>blue-black</u>. The color of the negative test will be yellow-brown.

Test reagent: iodine

Test procedure:

The following solutions will be tested to determine if they contain or do not contain starch: glucose (test tube 1), starch suspension (test tube 2), unknown (test tube 3), distilled water (test tube 4), onion juice (test tube 5), and potato juice (test tube 6).

Hypothesis: Of the above solutions, which do you think will contain starch? ONION JULL,

- 1) Label six test tubes with the numbers 1 through 6.
- Add 1.5 mL of the correct solution to tubes 1-6. Make sure to stir the solutions well before pipetting them and rinse the pipette after each use.
- 3) Record the initial appearance of each solution in the table below
- 4) At this point add 10 drops of iodine to each test take Grin each test tube to mix.
- 5) Record the color change in each test tube. The results column of the table, indicate whether each solution tasks positive or conflict for starch.

Tube Number	Solution	Initial appearance of solution	Final appearance of solution	Results and less lies
1	Calucose	Chear	yellan	Negative
2	Starch.	Cleux XXXIX	Stateh - Universities	Positive
3	Unknown	Clear	black	Positive
4	Distilled	Clear	light yellow	Negative
5	Onion Juict	Uellow	yellow-cloudy	Negative
6	Potato	Minkish	brown-Cloudy	Neautive

	nother way to test if a solution contains lipids (HINT: are lipids hydrophobic or
hydrophilic)?	egonable out glucossi suburion, potabo juice, pupsan, water and con unknown

Test	Observations	Conclusions
Biuret/Protein		Notesale.co.uk
Iodine/Starch		Lotesale.
Benedict/Sugars	w from	The second secon

Unknown solution:_

Post-Lab Cleanup

Clean all test tubes with soap and water either in the sink in your lab table or the sinks along the edges of the room. MAKE SURE ALL WAX PENCIL MARKS ARE REMOVED. Place test tubes upside down in rack to dry. Ethanol the desks and push in the chairs.

Post-Lab Review Questions

- What reagent is used to test for proteins?_______
- 2. What color indicates the presence of protein?
- 3. Is this color a positive or negative test result for protein?
- What color indicates the absence of protein? _____
- 5. Is this color a positive or negative test result for protein?
- 6. What reagent is used to test for starch?_____
- 7. What color indicates the presence of starch? ______

Lab Report Materials

General Instructions for Writing Lab Reports

Writing a lab report is a standard feature of science lab classes. It will be part of your grade for each lab practical this semester, because it is the best way to organize all of the information needed to understand the lab procedures and results. A person should be able to read your lab report and:

- Know exactly how to do this experiment
- Find a table, graph or photo of your results
- Know what you concluded at the end of your experiment
- Know what experiment you would do next to follow up on these results

Science writing is somewhat different from writing for other disciplines. What are the major differences that you should look out for?

- The passive voice is used. So instead of writing, "I measured the bone with the meter stick," it would be "The bone was measured with a meter stick". The report is about the work, not about you.
- Methods and Results should be written in the past tense because these are already happened.
- Sentences should be as short as possible, and only the past Elevant information is included.
- Directly copying (or only someone else's wor' (Soluding the work of other students) is plagiarism or more students who turn in nearly identical lab reports will count as collusion and both students will receive a grade of 0.

The format of a lab report is also different. These are the seven headings that you will use to write

Purpose of this lab: What did you learn from this lab? What did the experiments teach you about biology? This section should consist of only one or two sentences.

Introduction: This part gives background information about the particular subject that the lab covers and the experiment being performed. You will need references for this section. Your references may NOT include the lab manual.

Materials: The equipment and supplies used should be listed. Specific information should be given as to amounts, concentrations, and so on. Make sure you include ALL of the materials used in the procedure outlined in your lab report. Likewise, make sure you include ONLY the materials used in the procedure outlined in your lab report.

Methods: The write-up of the methods should be similar to a detailed recipe. It must be written in paragraph form. A person who has never done this lab should be able to read this section and know exactly what equipment and supplies are needed and how to perform the experiment.

APA Style for Citations and References

For this course you should never use direct quotations in your lab reports. Please use your words and only your words in your reports. When you use information (not words) from a source, it must be referenced AND cited.

References are listed alphabetically at the end of the lab report. They can be used by anyone who reads your document to find your original sources. Each reference should contain at minimum the following: Author name or names, title of work, and publication date. Anything taken from the internet should include the URL and the date the work was referenced.

Citations appear in the text of the document and refer the reader to the reference that was the source of the preceding information. The correct format for in-text citations is to include the author's name (or an abbreviated version of the title if no author is available) and the year of publications. It should be immediately obvious what reference a citation is referring to; if this is not the case then you are doing something wrong.

Here are some examples for how to reference and cite some componentaterials you may use in writing your lab report.

Books and Journals

The reference The reference and cite some componentaterials you may use in

clude enough a forwation to ensure a reader can find it quickly, work is referenced (e.g. a chapter of a book) that should be noted.

Author name or names. (Year of publication). Title of article or chapter. Title of journal or book, Volume (issue), page numbers.

Brooker, Robert, Eric Widmaier, Linda Graham, and Peter Stiling. (2014). Simple Patterns of Inheritance. Biology 3rd Edition, 321-342.

Herbst-Damm, K.L., & Kulik, J.A. (2005). Volunteer support, marital status, and the survival times of terminally ill patients. Health Psychology, 24, 225-229.

In-text citations should use the format (author, year of publication).

Gregor Mendel made thousands of crosses of peas in his lifetime (Brooker, 2014).


People survive difficult times better when they have a support network (Herbst-Damm & Kulik, 2005).


Number of Drops	pH in Beaker 2 (\norcumus buffer)	pH in Beaker 3
0 (Initial pH from previous table)	8 (6)	& (b) man
(Ending pH from previous table)	e how I (d) 8 wing cells help	a mest so (n) F demonstra
10	8(6)	s C President (n) adail I
to Jim 2.8 bi 15 Shakarid of the	matamana ((a)) mismana	2 Add(a)\st wateriet
20 one reported to second	ot reach ocaler to	e.co.uk
numerity a see usy sture (s). 25	m Notesa	and dissert and $4(a)$ have
areview f	om Notesa om 40 of 80	of the bound of 3(a) and
35	2(a)	2(a)
40 185 F	Ha 1 (a) Palen	2(a)
45	1(a)	1 (a)
50	1(a)	1(a)

Continue adding do po of the to beel are 2 and 3 in increments of 5 from determining the parties as he determining the parties of the sent addition of the sent recording the parties of the sent addition of the sent recording the parties of the sent addition of the sent recording the parties of the sent addition of the sent recording the parties of the sent recording the s

You should continue aduling crops of HC until you have added 50 drops to each benium. You should here work verse results.

Lab #4 - pH and Buffers





	Are you allowed to have food and drink in the laboratory?			
8.	What two things should you use to clean a microscope? cleaning solution			

Materials

Microscope lab handout
Microscope
Plant Root slide
Slides
Coverslips
Protoslo™ or Detain™
Pond water
Lens paper
Lens cleaning solution

on from Notesale.co.uk

Notesale.co.uk


Notesale.co.uk

Notesale.co.uk

Notesale.co.uk

Rules for Microscope Use

- When carrying the microscope, one hand should be on the base and the other on the arm.
- Use only lens paper and lens cleaning solution when cleaning objectives.
- 3. Do not allow moisture to get into the inner parts of the microscope.
- 4. Do not tilt microscope when viewing a wet mount.
- 5. Scanning power objective should be in the downward position at close of the lab.
- 6. Turn off the light when you are finished using the microscope.
- 7. Report any malfunctions to your instructor.



Lab Procedures and Data

Review the "Making a Wet Mount" section of Lab #5 – Microscopy before beginning. We will be using the same procedure to create slides of living protists and animal cells in this lab.

Prokaryotic Cells

Anabaena is a genus of bacteria that contains several different species. All Anabaena are photosynthetic, meaning they can get energy from sunlight. This means Anabaena are autotrophs they can make their own food. Members of this genus are found all over the world, usually as a type of algae or plankton.

We will be looking at both prepared and stained specimens of Anabaena and living (wet mount) specimens.

Anabaena is best viewed at 400x total magnification.

(Remember, always start at with the 4x scarping) between until the the start of t Use the space below to sketch (floment (line) cells. Label the processy



Anabaena spherica



Do these cells have a nucleus? ___

Post-Lab Cleanup

Make sure all prepared, labeled slides are returned to the appropriate slide box. Return the microscope to the CORRECT spot in the cabinet (with the 4x objective in the viewing position). All slides used in making wet mounts should be put in the buckets at the back of the room, and all used cover slips should go in the trash. Ethanol the desks and push in the chairs.

Post-Lab Review Questions

1.	a nucleus while proximy one have no nucleus
2. 3. 4.	Do the cells in Anabaena have a nucleus?
G.	How do smooth and rough endoplasmic reticulured to the FR:
6.	Which of the cells that [velloked at today harmed us? Frightna, Parmedium Ampling Asstratial (e)]
7	What was unique about the Paramecium nucleus? 14 has a micronicieus है ि Macronicieus
8.	Which type of cell has a nucleoid region? Human 1=pi+helial (z)
9.	Which cells that we looked at today were heterotrophs?
10.	Which cells that we looked at today were autotrophs?

References

Brooker, Robert, Eric Widmaier, Linda Graham, and Peter Stiling. (2014). General Features of Cells. *Biology* 3rd Edition, 66-96.

Hoobler, Cynthia, Karen Duston, Adam Eiler, Jennie Plunkett, Kirsten Raines, and Mary Wisgirda. (2007). Prokaryotic and Animal Cells. *General Biology I and II*. 33-40.

Review for Lab Practical #1

How a lab practical works

Here are some things you need to know in order to prepare for a lab practical in General Biology I or II. **30** stations will be set up, so each student has his/her own spot to start at. There will be an index card with 2 questions on it -- so there is a total of 60 questions on the exam. Students stand, not sit, to take the exam. That is why the chairs have been pushed out of the way.

Lab practicals are <u>not</u> multiple choice. Answer sheets will be provided. Answers are usually a single word or short phrase (food vacuole, nucleus, fine focus, etc.).

Examples of stations:

- A microscope with a slide, focused, pointer pointing at a structure on the slide.
- A model or specimen with a piece of tape or a numbered pin attached to a structure.
- Test tubes containing solutions that represent the outcome of an experiment.
- A piece of equipment that was used in an experiment.

The material for exam questions is derived from the Community Students are responsible for knowing everything covered by the lab march

In Bio I, many question the about the materials indequipment used and the outcome of the experiment calling the student to interest the results. Students will not be asked to perform experiments or find specimens converoscope slides. For example, questions about the lab on Chemical Composition of Cells might include:

- Name the reagent used to test for the presence of proteins.
- Of the two test tubes here, which one shows a positive test for proteins?
- Of the two test tubes here, which one is the control?

Questions about the Paramecium might include:

- · Name this organism.
- Name the structure at the tip of the pointer (macronucleus, contractile vacuole, etc.).

The lab practical is timed with a stopwatch. When the instructor says "Move", all students move to the next station at the same time. There will be 10 minutes at the end of the exam to go back to stations to recheck questions. Only one student is allowed per station at a time.

Skills tests: During the lab review period, you will be asked to perform certain lab skills that you have used repeatedly in the lab. Each student will be tested individually, so you need to be able to do all of these things. For this lab practical, the skills tested will be:

- Using a pipette to measure a volume of a solution accurately.
- Finding a specimen under the microscope at the correct magnification, centered, focused, and with an appropriate light level.
- Using the microscope pointer to identify a specific structure in a cell.

Microscopy

Know the parts of the compound light microscope we use in lab.

Arm, Body Tube, Nose Piece, Ocular Lens, Objective Lens, Stage, Stage Clip

Know the function of each part. Condersor, Daphicum Control, Fine & Course Adjustment kn large & Small Stude Control Endo

Pa. 50-51 Know how to determine the total magnification when using different objective lenses.

Why is the word compound used to describe our microscope? Be able to name the two types of lenses in our compound scope. Ocular & Objective *What is meant when it is said that our microscopes are parfocal?

Prokaryotic Cells

Be able to recognize Anabaena when looking through the microscope.

Recognize Anabaena on the prepared slide and on a fresh mount of Anabaena.

Know that Anabaena is a type of bacteria.

Do the cells in Anabaena have a nucleus? Are Anabaena cells prokaryation

Eukaryotic Cells

Protists

Know that protists

om Notesale he following my osms and know these organisms are protists.

prepared delegand model and and and adult during worth upy like west blan

Parts to identify on both the model and slide:

cytoplasm, nucleus, pseudopodium, contractile vacuole, food vacuole

Paramecium prepared slide and model

Parts to identify on model: cilia, oral groove, macronucleus,

micronucleus, food vacuole, contractile vacuole

Parts to identify on slide: cilia, oral groove, contractile vacuole,

prepared slide and model of any film adult of the solon and at the total Euglena

Parts to identify on model: flagellum, eyespot, contractile vacuole,

nucleus, chloroplast

Parts to identify on slide: nucleus

Animal Cells

Know that animal cells are eukaryotic.

Be able to recognize squamous epithelial cells taken from the inside of the cheek.

Parts to identify: cell membrane, nucleus, cytoplasm

SOCIETION DESCRIPTION

Answers to the practice conversion problems:

1 cm = 10 mm 1 mm = 1000 um 1 um = 1000 nm

1mm = 0.1 cm 1 um = 0.001 mm 1 nm = 0.001 um

23 cm = 230 mm 3 nm = 0.003 um 368 mm = 368,000 um

185 mm = 18.5 cm 6 um = 6000 nm 0.7 mm = 700 um

Preview Page 86 On one manual winds are standard to the standa

SIGNAL TRANSPORT