CONTINUUM OF SEPSISO,UK

SIRS Sepsis Sepsis Septic Shock

- -SIRS
- -SIRS CRITERIA (≥2 of the ff)
 - .T > 38.5°C or < 36°C
 - .Tachypnoea or need for mechanical ventilation
 - .Tachycardia or Bradycardia (<1yr)
 - .High or low WBC count or >10% band forms

CONTINUUM OF SEPSISO.UK

SIRS Sepsis Severe sepsis Septic Shock

SIRS with a presumed or confirmed infectious process

CONTINUUM OF SEPSISO.UK

SIRS Sepsis Severe Sepsis Septic Shock

Sepsis plus Organ Dysfunction

- •Elevated Creatinine
- •Elevated INR (DIC)
- Altered Mental Status (GCS <12)
- Elevated Lactate (>2)
- Hypotension that responds to fluid

CONTINUUM OF SERSISO.uk

SIRS Sepsis Severe sepsis Septic Shock

1

Severe Sepsis and Hypotension

Hypotension that does NOT respond to fluid

WHERE WE ARE NOWesals.co. Preview from 21 of 35

...SEPSIS 3 >>

SOFA: WHAT IS IT? ale.co.uk Sepsis-relatedrongan Faiture Assessment

- Sepsis-related Organ Faiture Assessment
 Score ealso knower as Sequential Organ
 Failure Assessment Score
- It is based on 6 different scores, one each for the
 - Respiratory
 - Cardiovascular
 - Hepatic
 - Coagulation
 - Renal
 - Neurological

LIVER

Bilirubin (mg/dl) [µmol/L]	SOFA Score	uk
1.2 - 1.9 [>20 - 32]	lesale.co.	
2.0 - 5.9 [33 - 101]	2 55	
6.0 - 11.9 [102 201) 7 28	91 3	
Bilirubin (mg/dl) [µmol/L] 1.2 - 1.9 [>20 - 32] 2.0 - 5.9 [33 - 101] 6.0 - 11.9 [102 200] > 12.0 [204] Page 28	4	

If bilirubin is less than 1.2, the score is 0

COAGULATION

Platelets X 103/μL	SOFA Score
< 150	1
<100	2
<50	3
<20	4

If platelet is more than 150 then score is 0

Finally, all the Controyers generated by the consist field him in the c to the sepsis field highlighting the need for further research and investments mainly in educational program and epidemiological studies in low and middle-income areas where there is a paucity of data and shortage of resources

RESULT:

7,754 ED patients with suspected infection were identified overall; 117 had no documented mental status evaluation, leaving 7,637 patients in the analysis

MORTALITY FOR SEPSIS

	Overall	qSOFA score ≥2	SIRS
Mortality Rate(%)	4.4	14.2	6.8
Sensitivity(%)		52	83
Specificity (%)		86	50

MORTALITY FOR SEPTIC SHOCK

	qSOFA	SIRS
Mortality (%)	23	22
Sensitivity (%)	12	23
Specificity (%)	98.4	96.6

Iheji CC - Sepsis Cascade