

b-Low heart rate

● c-Ventricular fibrillation

70- C8 SCI independent mobility :

● 1- manual wheel chair

2- machinery wheel chair

3- manual wheel chair with slide board

71- Contraction in which no change in muscle length

● Isometric

72- Danger on women health

● - Cardiovascular disease

-Stroke

73- type of stretch which is progressive to end of range

● a ballistic

b. iv am

74- first line of treatment for fistula

● a- Surgery

b- Hygine

c- Physiotherapisy

d- Medications

75- Palpation for piriforms

a-From ASIS to greater trochanter

b-From PSIS to greater trochanter

c-From coocyx and iliac creast

d-From sacrum to greater trochanter

Preview from Notesale.co.uk
Page 9 of 12

c-5

87- Exercise in elderly to keep bone density! ?

- a-Aerobic
- b-Resistive
- c-Hydro exe

88- deficiency of this make deformity in newborn !??

- a-Vitamin a
- b-D
- c-B
- d-C

89- which is the following is the most appropriate duration for normal elderly person to training regular per day

- a -15
- b-30
- c-45
- d-60

90- Minimal heart rate to measure target heart rate before exercise ?

60

91- Patient cant make two point discrimination in lower leg what is site oflesion??

- a-Brainstem
- b-Sensory cortex

Preview from Notesale.co.uk
Page 12 of 12