

he usual number of branches of the medial cord of the brachial plexus:

- a. 1.
- b. 2.
- c. 3.
- d. 4.
- e. 5.

The usual number of branches of the lateral cord of the brachial plexus:

- a. 1.
- b. 2.
- c. 3.
- d. 4.
- e. 5.

In Erb's paralysis, the deformity is called:

- a. Winging of the scapula.
- b. Claw hand.
- c. Ape hand.
- d. Wrist drop.
- e. Policeman's tip position.

Preview from Notesale.co.uk
Page 10 of 20

C-Muscle strain

D- Heamatoma

98- sudeck's atrophy which **is not true** :

a- sever burning pain

b- sympathetic hyperactivity ✓

c- trophic changes occur

d- more perspiration

99- which **is not true** about sudeck's atrophy

a- osteoporosis of bones of hand

b- fully curable by taking sympathetic nerve block ✓

248- patient with a contaminated surgical wound on lumbar region, what would you use to clean the wound

a- infrared

b- ultraviolet ✓

c- shortwave

d- low laser

249- what is best for scar tissue

a- **ultra sound** ✓

b- infrared

c- shortwave

250-what is the best electrical modalities chosen to treat infective wound

Preview from Notesale.co.uk
Page 12 of 20

295- best muscle to strengthen for ascending stair and initiating stand up from sitting is

a- Gluteus maximums

b- **Quadriceps v**

c- Hamstring

d- Soleus

440- THE best coupling media of ultrasonic which of the following

a- **aquatic gel v**

b- glycerol

c- liquid paraffin

d- crrogel

441- coupling media of ultrasonic which of the following of least effect:

a- aquatic gel

b- silicone

c- **liquid paraffin v**

d- cryogel

480- Shortness of which muscle cause limitation in shoulder abduction and lateral rotation

a- **pectoralis major v**

b- serratus ant

c- sub scapularis

d- teres major

209- what is not correct about bone

a- **contain 90% of inorganic tissues v**

b- compose of 2 types sponge ,compact

Preview from Notesale.co.uk
Page 15 of 20