

1.2 Array Operations - Traversal, Insertion | Explanation with C Program | DSA Course

Jenny's Lectures CS IT

I have already discussed the fundamentals of arrays what is need of Faerie array declaration in acid ization of array memory representation of air in the previous video so if you check out that video then I 'll provide you the link in the description box you can check out there. We are going to write down the code for this. something like this I have already discussed in the previous video this concept and detail fine. I 'm going to ask from the user what elements the user wants in the area how to populate the area at runtime. We will just write header files and all I think you can write that thing. Ask from the user that how many data the user want to insert in this area what is the actual size of the array this is the maximum size fine. If user will give something some input that is some integer value then obviously that value should be stored in memory and how values to be stored using variable so you have to declare one another variable. We will discuss how data is to be inserted in the air at specific position. If you get how data can be inserted at a specific position then you can easily modify the code for inserting the data at the beginning and at the end of theory fine so now we will see how to. We are using one more variable that is I so you have to declare this variable. There is no upper bound checking concept of areas in arrays in C like this if you take hair in a is equal to 50 fine. Memory man is it has allocated to how many bytes two hundred bytes for storing 50 elements. If you enter the size 51 or you can say 60 then user can insert 60 values also but that is not actually correct. We all we want all the previous elements as well as we want some extra element that you want to insert so you can not do directly this so another approach is what you can shift these elements to the right side. From variable to start the loop we are going to start from here from the last element of there you can say from size minus 1.

of bounds checking of arrays in c so programmer has to write down the code itself for the checking of the boundaries in c. programmer must write down a for loop for the swapping of arrays. Programmer writes down code that checks the boundaries of an array in c code. Just write down a for loop in for loop you will start from 0 to the size fine and you simply write print percentage D and a of I and these all values would be printed this is how we are going to insert the data at specific position fine. After inserting this number array size becomes what 6 so now size becomes size plus right now finally you will print this area how you can print it. How you will insert simply you just enter the data you want to insert simply. No need to ask the position no need to do this swapping and all fine simply will write a off here means you can say that size a is 5 5 so here also you can insert at 6th position that is also fine but after size plus 1 you can not insert.