

# TABLE OF CONTENTS

Sr. No.	Topic	Page no.
1	Summary	1
2	Introduction	2-6
3	Review of literature	7
4	References	8-9
5	Rationale	10
6	Objectives	10
7	Methodology	11-14
8	Future plans	15
9	Timeline	16
10	Budgets	17-18

Preview from Notesale.co.uk  
Page 2 of 20

# REFERENCES

- Barandouzi, Z. A., Starkweather, A. R., Henderson, W. A., Gyamfi, A., & Cong, X. S. (2020). Altered Composition of Gut Microbiota in Depression: A Systematic Review. *Frontiers in Psychiatry*, 11. <https://doi.org/10.3389/fpsyg.2020.00541>
- Batt, M. M., Duffy, K. A., Novick, A. M., Metcalf, C. A., & Epperson, C. N. (2020). Is Postpartum Depression Different From Depression Occurring Outside of the Perinatal Period? A Review of the Evidence. *FOCUS*, 18(2), 106–119. <https://doi.org/10.1176/appi.focus.20190045>
- Cryan, J. F., & Dinan, T. G. (2012). Mind-altering microorganisms: the Impact of the Gut Microbiota on Brain and Behaviour. *Nature Reviews Neuroscience*, 13(10), 701–712. <https://doi.org/10.1038/nrn3346>
- Jang, H.-M., Lee, K.-E., & Kim, D.-H. (2019). The Preventive and Curative Effects of Lactobacillus reuteri NK33 and Bifidobacterium adolescentis NK98 on Immobilization Stress-Induced Anxiety/Depression and Colitis in Mice. *Nutrients*, 11(4). <https://doi.org/10.3390/nu11040819>
- Jiang, H., Ling, Z., Zhang, Y., Mao, H., Ma, Z., Yin, Y., Wang, W., Tang, W., Tan, Z., Shi, J., Li, L., & Ruan, B. (2015). Altered fecal microbiota composition in patients with major depressive disorder. *Brain, Behavior, and Immunity*, 48, 186–194. <https://doi.org/10.1016/j.bbi.2015.03.016>
- Kalra, H., Tran, T. D., Romero, L., Chandra, P., & Fisher, J. (2020). Prevalence and determinants of antenatal common mental disorders among women in India: a systematic review and meta-analysis. *Archives of Women's Mental Health*. <https://doi.org/10.1007/s00737-020-01024-0>
- Kovtun, A. S., Averina, O. V., Angelova, M. V., Yunes, R. A., Zerkina, Y. A., Morozova, A. Y., Pavlichenko, A. V., Syunyakov, T. S., Karpenko, O. A., Kosyuk, G. P., & Danilenko, V. N. (2022). Alterations of the Composition and Nutritional Metabolic Profile of Human Gut Microbiota in Major Depressive Disorder. *Biomolecules*, 10(9), 2162. <https://doi.org/10.3390/biomolecules10092162>
- Lalani, T., Tisdale, M. D., Liu, J., Mitra, I., Philip, C., Oundo, E., Reyes, F., Simons, M. P., Fraser, J. A., Hutley, E., Connor, P., Swierczewski, B. E., Houpt, E., Tribble, D. R., & Riddle, M. S. (2018). Comparison of stool collection and storage on Whatman FTA Elute cards versus frozen stool for enteropathogen detection using the TaqMan Array Card PCR assay. *PLOS ONE*, 13(8), e0202178. <https://doi.org/10.1371/journal.pone.0202178>
- Lanjewar, S., Nimkar, S., & Jungari, S. (2021). Depressed Motherhood: Prevalence and Covariates of Maternal Postpartum Depression among Urban Mothers in India. *Asian Journal of Psychiatry*, 57, 102567. <https://doi.org/10.1016/j.ajp.2021.102567>
- Mayo Clinic. (2018). *Postpartum depression - Diagnosis and treatment - Mayo Clinic*. Mayo Clinic. <https://www.mayoclinic.org/diseases-conditions/postpartum-depression/diagnosis-treatment/drc-20376623>
- Slykerman, R. F., Hood, F., Wickens, K., Thompson, J. M. D., Barthow, C., Murphy, R., Kang, J., Rowden, J., Stone, P., Crane, J., Stanley, T., Abels, P., Purdie, G., Maude, R., & Mitchell, E. A. (2017). Effect of Lactobacillus rhamnosus HN001 in Pregnancy on Postpartum Symptoms of Depression and Anxiety: A Randomised Double-blind Placebo-controlled Trial. *EBioMedicine*, 24, 159–165. <https://doi.org/10.1016/j.ebiom.2017.09.013>

Non-recurrring items			
Product	Price/Unit (INR)	Total price (INR)	Amount needed
Zymo R1101-1-10 Feces catcher (10 pack)	8,915/-	8,91,500/-	100
Stool Sample Container (100 Pieces Per Packet)	325/-	3,250/-	10
GE Healthcare WB120205 Non-Indicating FTA Classic Card 4 Sample Areas Per Card 500 µl Total Volume (Pack of 100)	58,060/-	5,80,600/-	10
MBP for EC+ Card 4x4.5 Inches (Pack of 100)	4810/-	48,100/-	10
Desiccant (1000/Pack)	23980/-	47,960/-	2

Recurring Items			
Product	Price/Unit (INR)	Total price (INR)	Amount needed
Genei Water (DNase, RNase Free), 100ml	2280/-	22,800/-	1 litre
High Resolution Agarose 100g	63480/-	6,34,800/-	1 kg
6X Gel Loading Buffer 6 ml	3110/-		
50X TAE 1000 ml	7480/-	50,000/-	
Ethidium Bromide 10 mg	2400/-		
Maxome PCR 8 Strip Tubes (100ul)	18/-	2,250/-	1000
Junior Research Fellow x 2	-	12,03,000	2

**Total amount = 61,18,028**