

2023 ATI Comprehensive Predictor Updated Version Study Guide

Do not delegate ----- Correct Answer ----- What you can *EAT*

E-evaluate

A-assess

T-teach

Addison's & Cushings ----- Correct Answer ----- Addison's = down down down up
down

Cushings= up up up down up

hypo/hypermnatremia, hypo/hypertension, blood volume, hypo/hyperkalemia

hypo/hyperglycemia

Better peripheral perfusion? ----- Correct Answer ----- Elevate veins, 90° Angle
Arteries

APGAR ----- Correct Answer ----- Appearance (appearance) pink and blue, blue (pale)

Pulse (>100 = 100 = absent)

Grimace (cough, grimace, no response)

Activity (flexed, flaccid, limp)

Respirations (strong cry, weak cry, absent)

Airborne precautions ----- Correct Answer ----- MTV or My chicken hez tb measles,
chickenpox (varicella) Herpes zoster/shingles TB

Airborne precautions protective equip ----- Correct Answer ----- private room, neg
pressure with 6-12 air exchanges/hr mask & respirator N95 for TB

Droplet precautions ----- Correct Answer ----- spiderman! sepsis, scarlet fever,
streptococcal pharyngitis, parvovirus, pneumonia, pertussis,
influenza,
diphtheria,
epiglottitis,
rubella,
mumps, meningitis, mycoplasma or meningial pneumonia, adeNovirus
(Private room and mask)

Contact precaution ----- Correct Answer ----- MRS WHISE

protect visitors & caregivers when 3 ft of the pt.

Multidrug-resistant organisms

RSV, Shigella, Wound infections, Herpes simplex, Impetigo, Scabies, Enteric diseases
caused by micro-organisms (C diff),

stress, frequent bathing and rest breaks, avoid cold and stimulating foods (surgery to remove tumor)

Tetralogy of Fallot ----- Correct Answer ----- DROP (Defect, septal, Right ventricular hypertrophy, Overriding aortas, Pulmonary stenosis)

Autonomic Dysreflexia ----- Correct Answer ----- (potentially life threatening emergency!) HOB elevate 90 degrees, loosen constrictive clothing, assess for full bladder or bowel impaction, (trigger) administer antihypertensives (may cause stroke, MI, seizure)

FHR patterns for OB ----- Correct Answer ----- Think VEAL CHOP!

V-variable decels; C- cord compression caused

E-early decels; H- head compression caused

A-accelerations; O-okay, no problem

L- late decels; P- placental insufficiency, can't fill

what to check with pregnancy ----- Correct Answer ----- Never check the monitor or machine as a first action. Always assess the patient first. Ex.. listen to fetal heart tones with stethoscope.

Position of the baby by fetal heart sounds ----- Correct Answer ----- Posterior --heard at sides

Anterior---midline by umbilicus and side

Breech- high up in the fundus near umbilicus

Vertex- by the symphysis pubis.

Ventilatory alarms ----- Correct Answer ----- HOLD

High alarm--Obstruction due to secretions, kink, pt cough etc

Low alarm--Disconnection, leak, etc

ICP and Shock ----- Correct Answer ----- ICP- Increased BP, decreased pulse, decreased resp

Shock--Decreased BP, increased pulse, increased resp

Cor pulmonale ----- Correct Answer ----- Right sided heart failure caused by left ventricular failure (edema, jugular vein distention)

Heroin withdrawal neonate ----- Correct Answer ----- irritable, poor sucking

brachial pulse ----- Correct Answer ----- pulse area on an infant

lead poisoning ----- Correct Answer ----- test at 12 months of age

Before starting IV antibiotics ----- Correct Answer ----- obtain cultures!

**Preview from Notesale.
Page 21 of 22**