

not required. Which one of the following solicitation methods would be most appropriate? -

Ans oral solicitation

You have a requirement for an individual purchase for supplies with an estimated value of \$5,875. The supplies are not immediately available. Which one of the following simplified acquisition methods would be the most appropriate to use? -

Ans government purchase card

Six quotes were received in response to your solicitation for new office equipment that utilized the lowest price technically acceptable source selection process. The quotes submitted by vendors A, B, and D were determined to be technically acceptable. Vendor A quoted a price of \$146,500; Vendor B quoted a price of \$128,250; and Vendor D quoted a price of \$132,800. Which one of the following statements about the award decision is correct? -

Ans Vendor B is the apparent awardee and price reasonableness would be based on competition

You are the contracting officer for a firm-fixed-price purchase order for commercial supplies with a value of \$565,000. Two weeks after delivery and acceptance of the items, the end user complains that the goods are not functioning as expected. You investigate and determine that the items are not fully compliant with the specification in the contract. Who would bear the cost of correcting the nonconforming supplies that were accepted by the Government? Correct -

Ans The Contractor

You have a one-time requirement for a purchase of noncommercial supplies with an estimated value of \$235,000. The supplies are not immediately available. Which one of the following simplified acquisition methods would be the most appropriate to use? -

Ans maybe purchase order

You just made an award for services in the amount of \$235,200 based on price and past performance. One of the unsuccessful vendors has requested information on the award decision. Which one of the following describes the action you must take? -

Ans You must provide a brief explanation of the basis for the award decision

Which one of the following market research results would NOT support a commerciality determination? -

Ans The part sold to the general public needs' extensive modifications not customarily available in the commercial marketplace.

You are reviewing the requirements package for the purchase of automatic standby generators. Market research results identify multiple sources in the commercial marketplace that meet the essential physical characteristics for this requirement. The generators were previously procured using a military specification that includes restrictive conditions that are not justified. Which one of the following is correct regarding the policies for describing your agency's needs? -

Ans The requirement should be defined in terms that ensure it can be met by commercial products.