

A nurse is providing discharge instructions for a client who has a new prescription for furosemide.

Which of the following client statements indicates a need for further teaching?

- a. "I will take my morning pills with food or milk."
- b. "I will weigh myself every day."
- c. "I will notify the nurse if I have muscle cramps."
- d. "I will limit my intake of fish." - *CORRECT ANSWERS* -d. "I will limit my intake of fish."

A nurse is caring for a client who has a prescription for atorvastatin. Which of the following client

conditions is a contraindication to this medication?

- a. hepatitis C
- b. peptic ulcer disease
- c. bronchitis
- d. chrohn's disease - *CORRECT ANSWERS* -a. hepatitis C

A nurse is planning care for an adolescent who has chronic renal failure. Which of the following

actions should the nurse include in the plan of care?

- a. Encourage a diet high in calcium.
- b. Provide a diet high in potassium.
- c. Ensure increased fluid intake.
- d. Restrict protein intake to the RDA. - *CORRECT ANSWERS* -d. Restrict protein intake to the RDA.

- b) Asking the father to change the newborn's diaper
- c) Requesting the nurse take the newborn nursery so she can rest
- d) Viewing the newborn's actions to be uncooperative - *CORRECT ANSWERS* -
- d) Viewing the newborn's actions to be uncooperative

A nurse is caring for client who is taking levothyroxin. Which of the following findings should indicate that the medication is effective?

- a) Weight loss
- b) Decreased blood pressure
- c) Absence of seizures
- d) Decrease inflammation - *CORRECT ANSWERS* -a) Weight loss

A nurse is planning discharge teaching for cord care for the parent of a newborn. Which instructions would you include in the teaching?

- a) Contact provider if the cord still turns black
- b) Clean the base of the cord with hydrogen peroxide daily
- c) Keep the cord dry until it falls off
- d) The cord stump will fall off in five days - *CORRECT ANSWERS* -c) Keep the cord dry until it falls off

A nurse is assessing a client in the PACU. Which of the following findings indicates decreased cardiac output?

- a) Shivering
- b) Oliguria
- c) Bradypnea
- d) Constricted pupils - *CORRECT ANSWERS* -b) Oliguria

d) air bubbles noted in the NG tube - *CORRECT ANSWERS* c) Abdominal rigidity

A nurse is preparing to administer TPN with added fat supplements to a client who has malnutrition.

Which of the following action should the nurse take?

- a) Piggyback 0.9 sodium chloride with TPN solution
- b) Check for an allergy to eggs
- c) Discuss the TPN solution for 12 hours
- d) Monitor for hypoglycemia - *CORRECT ANSWERS* b) Check for an allergy to eggs

A charge nurse is discussing the use of applying ice to a client's injured knee with a newly licensed nurse.

Which of the following should the nurse identify as a benefit? (A/C?)

- a) Systemic analgesic effect
- b) increase in your metabolism
- c) Decreased capillary permeability
- d) Vasodilation - *CORRECT ANSWERS* c) Decreased capillary permeability

Nurse is developing discharge care plans for client has osteoporosis. To prevent injury the nurse should

instruct the client to

- a) Perform weight bearing exercises
- b) Avoid crossing the legs beyond the midline
- c) Avoid sitting in one position for prolonged periods

- c) Inject the medication the lateral abdominal wall
- d) Administer an NSAID for injection site discomfort - *CORRECT ANSWERS* -c)
Inject the medication the lateral abdominal wall

Nurses caring for four clients. Which of the following client data should the nurse report to the provider?

- a) A client who has a pleurisy and reports pain of 6 on a scale of 0 to 10 when coughing
- b) Client was a total of 110 mL of serosanguineous fluid from the Jackson Pratt drain within the first 24 hour following surgery
- c) Client who is 4 hrs postoperative and has a heart rate of 18 per minute
- d) The client was a prescription for chemotherapy and an absolute neutrophil count of 75/mm³ - *CORRECT ANSWERS* -d) The client was a prescription for chemotherapy and an absolute neutrophil count of 75/mm³

Nurses caring for client was in end-stage osteoporosis and is reporting severe pain. Clients respiratory rate is 14 per minute. Which of the following medications should the nurse expect to be the highest priority to administer to the client?

- a) Promethazine
- b) Hydromorphone
- c) Ketorolac
- d) Amitriptyline - *CORRECT ANSWERS* -b) Hydromorphone

A nurse is caring for a client who has DVT. Which of the following instructions the nurse include in the plan of care?

- a) Live with the clients fluid intake to 1500 mL per day
- b) Massage place affected extremity to relieve pain
- c) Apply cold packs of clients affected extremity
- d) Elevate the client's affected extremity when in bed - *CORRECT ANSWERS* -d)
Elevate the client's affected extremity when in bed

A nurse is caring for a client who is receiving oxytocin IV for augmentation of labor. The client's

contractions are occurring every 45 seconds with a nine seconds duration in the fetal heart rate is 170 to

180/minute. Which of the following actions should nurse take?

- a) Discontinue oxytocin infusion
- b) Increased oxytocin infusion
- c) Decreased oxytocin infusion
- d) Maintain oxytocin infusion - *CORRECT ANSWERS* -a) Discontinue oxytocin infusion

A nurse is admitting a client who is in labor and at 38 wks of gestation to the maternal newborn

unit. The client has a history of herpes simplex virus 2. Which of the following questions is most

appropriate for the nurse to ask the client?

- a) Have your membranes ruptured?
- b) How far apart are your contractions?

A nurse is providing teaching for a client has a new prescription for methadone. Which of the phone

following client statements indicates need for further teaching?

- a) I understand the methadone tends to slow my breathing
 - b) I understand the methadone may cause me to have difficulty sleeping
 - c) I will avoid alcohol while I'm taking this medication
 - d) I'll change positions gradually especially from lying down to standing - *CORRECT ANSWERS*
- b) I understand the methadone may cause me to have difficulty sleeping

Which of the following client is appropriate for the nurse to refer to speech therapy for swallowing

evaluation?

- a) Premature infant with a poor suck reflex and failure to thrive
 - b) An older adults who has difficulty taking in fluids
 - c) Adolescent who anorexia who is cachectic
 - d) A middle aged adults was gastroesophageal reflux disease - *CORRECT ANSWERS*
- b) An older adults who has difficulty taking in fluids

A nurse is caring for a group of clients. Which of the following client should nurse assess first?

- a) A client whose benign prostatic hyperplasia and is unable to urinate
- b) The client was heart failure and report shortness of breath while ambulating
- c) A client who is open cholecystectomy and has green drainage from the T-tube

d) Pushes up from a chair with crutches on the unaffected side. - *CORRECT ANSWERS* b) Maintains 3 to 4 finger width between the crutch pad and axilla

A nurse is caring for a toddler who has respiratory syncytial virus. Which of the following actions

should the nurse plan to take?

- a) Use a designated stethoscope when caring for the toddler.
- b) Wear an N95 respiratory mask while caring for the toddler.
- c) Remove the disposable gown after leaving the toddler's room
- d) Place the toddler in a room with negative air pressure. - *CORRECT*

ANSWERS a) Use a designated stethoscope when caring for the toddler.

A nurse is planning care for client to prevent complications of immobility. With the following

actions should the nurse include in the plan of care?

- a) Massage lower extremities daily to prevent DVT
- b) Limit intake of Food high in calcium to prevent renal calculi.
- c) Encourage client to lie supine prevent constipation.
- d) Remove anti embolism stockings for 3 hours each day to decreased skin breakdown. - *CORRECT ANSWERS* d) Remove anti embolism stockings for 3 hours each day to decreased skin breakdown.

A nurse discovers that the wrong dosage of medication was given to client. When determining

what action to take your should recognize that which of the following ethical principles should be applied?

- a) Utility

- c) Performing Glasgow coma scale every 24 hrs
- d) Recommend prophylactic acyclovir there for the clients family - *CORRECT ANSWERS* -a) Initiate droplet precautions for the client

Nurse is giving discharge instructions to client has new ileostomy. The nurse should recognize that

the teaching has been effective when the client states.

- a) I want sure that my medications are enteric coated
- b) My stoma will drain liquid fluid continuously
- c) I will change my pump system every two weeks
- d) My stoma size will stay the same even after healed - *CORRECT ANSWERS* -b) My stoma will drain liquid fluid continuously

A nurse in a provider's office is interviewing a client who is requesting an oral contraceptive. Which of the following findings in the client's history is a contraindication to use in combination oral contraceptives?

- a) thyroid disease
- b) Allergy to penicillin
- c) impaired liver function
- d) abnormal blood glucose - *CORRECT ANSWERS* -c) impaired liver function

The nurses providing teaching to a client who has mild persistent asthma has been prescribed

should intervene and explain to the AP that this statement constitutes which of the following torts?

- a) Assault
- b) Battery
- c) Malpractice
- d) Negligence - *CORRECT ANSWERS* -a) Assault

A charge nurse is evaluating the time management skills for new licensed nurse. The charge nurse

should intervene when a newly licensed nurse does which of the following?

- a) Re-Evaluate priorities halfway through the shift
- b) Delegate changing sterile dressing for licensed practical nurse
- c) Groups activities for the Same client
- d) Works on several tasks simultaneously - *CORRECT ANSWERS* -d) Works on several tasks simultaneously

A nurse is monitoring the client during an IV urography procedure. Which of the following client

reports is the priority finding?

- a) Feeling flushed and warm
- b) Abdominal fullness
- c) Swollen lips
- d) Metallic taste in mouth - *CORRECT ANSWERS* -c) Swollen lips

A nurse is planning to delegate client assignments to the assistive personnel. which of the following

- a. Recent blood transfusion
- b. Allergy to penicillin
- c. Minor acute illness
- d. Low-grade fever - *CORRECT ANSWERS* - a. Recent blood transfusion

A nurse is preparing to administer 2.5 mL of medication intramuscularly to an adult client. Which

of the following is the safest site for the nurse to use?

- a. Ventrogluteal
- b. Dorsogluteal
- c. Vastus lateralis
- d. Rectus femoris - *CORRECT ANSWERS* - a. Ventrogluteal

Preview from Notesale.co.uk
Page 64 of 64